



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/554,464	11/10/1998	Giok Djien Go		9018

7590 12/02/2003
Dr.-Ing. Giok Djien Go
Pfahlgrabenstr. 45
Idstein, D-65510
GERMANY

EXAMINER

BARFIELD, ANTHONY DERRELL

ART UNIT	PAPER NUMBER
----------	--------------

3636

DATE MAILED: 12/02/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Art Unit: 3636


DETAILED ACTION

Response to Amendment

1. The reply filed on 8/18/03 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): The substitute specification filed 8/18/03 has not been entered because it does not conform to 37 CFR 1.125(b) and (c) because: Applicant has failed to include a statement "*that no new matter has been included*" A substitute specification filed under 37 CFR 1.125(a) must only contain subject matter from the original specification and any previously entered amendment under 37 CFR 1.121. If the substitute specification contains additional subject matter not of record, the substitute specification must be filed under 37 CFR 1.125(b) and (c). See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anthony D Barfield whose telephone number is 703-308-2158.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-2168.


Anthony D Barfield
Primary Examiner
Art Unit 3636

adb
December 01, 2003